

92008  
APR 15 1993

O.M.B. No 3067-0077  
Expires May 31, 1993

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

This certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide information necessary to ensure compliance with applicable community floodplain management ordinances, to determine proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

### SECTION A PROPERTY INFORMATION

OWNER'S NAME <b>Jack and Ellen York</b>	FOR INSURANCE COMPANY USE	
	POLICY NUMBER	
	COMPANY NAIC NUMBER	
ADDRESS (including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER <b>751 West Cheyenne Road</b>		
DESCRIPTION (Lot and Block Numbers, etc.)		
CITY/TOWN/VILLAGE <b>Colorado Springs, CO</b>		STATE <b>CO</b>
		ZIP CODE <b>80906</b>

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Obtained from the proper FIRM (See Instructions):

1. FIRM NUMBER <b>060</b>	2. PANEL NUMBER <b>278</b>	3. SUFFIX <b>C</b>	4. DATE OF FIRM INDEX <b>09-30-92</b>	5. FIRM ZONE <b>AE</b>	6. BASE FLOOD ELEVATION (in AO Zones, use depth) <b>6048</b>
------------------------------	-------------------------------	-----------------------	------------------------------------------	---------------------------	--------------------------------------------------------------------

Elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)  
If "Other" or "V" where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate community BFE:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 1.  
2. If Zone AE-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 6048 feet NGVD (or other FIRM datum—see Section B, Item 7).

3. If Zone V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).

4. If Zone A (without BFE). The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building.

5. If Zone C. The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) in accordance with the community's floodplain management ordinance?  Yes  No  Unknown

6. Elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM (see Section B, Item 7), then convert the elevations to the datum system used on the FIRM and show the conversion on Page 2.)

7. Reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)

8. Elevation is based on:  actual construction  construction drawings  
If based on construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate is required once construction is complete.)

9. Elevation of the lowest grade immediately adjacent to the building is: 6049 feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION

1. Community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: 6050 feet NGVD (or other FIRM datum—see Section B, Item 7).

2. Date of start of construction or substantial improvement June 1992